Wood Wool

Replaces date: 11/05/2016 Revision date: 14/11/2022

Version: 1.1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name: Wood Wool

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended uses: Barbecue firelighters

1.3. Details of the supplier of the safety data sheet

Supplier

Company: Fritz Schur Consumer Products A/S

Address: Esplanaden 40
Zip code: DK-1263
City: København K
Country: DENMARK
E-mail: info@fscp.dk
Phone: +45 33 96 00 60

1.4. Emergency Telephone Number

Members of the public: 111 (NHS 111 (Scotland: NHS 24)).

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

CLP-classification: The product shall not be classified as hazardous according to the classification and

labeling rules for substance and mixtures.

Most serious harmful effects: May cause slight irritation to the skin and eyes.

2.2. Label elements

The product shall not be classified as hazardous according to the classification and labeling rules for substance and mixtures.

2.3. Other hazards

The product does not contain any PBT or vPvB substances.

SECTION 3: Composition/information on ingredients

3.1. Substances

| Substance | CAS No./ EC No./ REACH Reg. No. | Concentration | Notes | CLP-classification |
|---|------------------------------------|---------------|-------|--------------------|
| Slack wax (petroleum), clay-treated (DMSO<3%, IP 346) | 90669-78-6 292-660-3 | 30 - 60 % | | |

Please see section 16 for the full text of H- / EUH-phrases.

SECTION 4: First aid measures

4.1. Description of first aid measures

Wood Wool

Replaces date: 11/05/2016 Revision date: 14/11/2022

Version: 1.1.0

Inhalation: Seek fresh air, wash out mouth with water and blow nose thoroughly. Seek medical advice

in case of persistent discomfort.

Ingestion: Wash out mouth thoroughly and drink 1-2 glasses of water in small sips. Seek medical

advice in case of persistent discomfort.

Skin contact: Remove contaminated clothing. Wash skin with soap and water. Seek medical advice in

case of persistent discomfort.

Eye contact: Flush with water (preferably using eye wash equipment) until irritation subsides. Seek

medical advice if symptoms persist.

General: When obtaining medical advice, show the safety data sheet or label.

4.2. Most important symptoms and effects, both acute and delayed

May cause slight irritation to the skin and eyes.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms. No special immediate treatment required.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: Extinguish with powder, foam, carbon dioxide or water mist. Use water or water mist to cool

non-ignited stock.

Unsuitable extinguishing

media:

Do not use water stream, as it may spread the fire.

5.2. Special hazards arising from the substance or mixture

Product decomposes in fire conditions or when heated to high temperatures, and inflammable and toxic gases may be released.

5.3. Advice for firefighters

Wear Self-Contained Breathing Apparatus (SCBA) with chemical resistant gloves.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Wear safety goggles if there is a risk of dust contact with eyes.

For emergency responders: In addition to the above: Normal protective clothing equivalent to EN 469 is recommended.

6.2. Environmental precautions

Prevent spillage from entering drains and/or surface water.

6.3. Methods and material for containment and cleaning up

Sweep up/collect spills for possible reuse or transfer to suitable waste containers. Wipe up minor spills with a damp cloth.

6.4. Reference to other sections

See section 8 for type of protective equipment. See section 13 for instructions on disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Work processes where generation of dust may occur must be performed under effective process ventilation (e.g. local exhaust

Wood Wool

Replaces date: 11/05/2016 Revision date: 14/11/2022

Version: 1.1.0

ventilation). Running water and eye wash equipment must be available. Wash hands before breaks, before using restroom facilities, and at the end of work.

7.2. Conditions for safe storage, including any incompatibilities

The product should be stored safely, out of reach of children and away from food, animal feeding stuffs, medicines, etc. Do not expose to heat (e.g. sunlight). Do not store with the following: Oxidisers.

7.3. Specific end use(s)

None.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit: Contains no substances subject to reporting requirements

Legal basis: EH40/2005 Workplace exposure limits. Last amended January 2020.

8.2. Exposure controls

Appropriate engineering controls:

Wear the personal protective equipment specified below.

eye/face protection:

Personal protective equipment, Wear safety goggles if there is a risk of dust contact with eyes. Eye protection must

conform to EN 166.

hand protection:

Personal protective equipment, Plastic or rubber gloves recommended.

respiratory protection:

Personal protective equipment, Wear respiratory protective equipment with P2 filter when performing dusty work.

Respiratory protection must conform to one of the following standards: EN 136/140/145.

Environmental exposure

controls:

Ensure compliance with local regulations for emissions.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Parameter | Value/unit | | | |
|------------|-----------------------------------|--|--|--|
| State | Solid substance | | | |
| Colour | White/light yellow/light brown. | | | |
| Odour | Characteristic | | | |
| Solubility | Solubility in water: Insoluble *) | | | |

| Parameter | Value/unit | Remarks |
|---|------------|---------|
| Odour threshold | No data | |
| Melting point | 49 - 63 °C | *) |
| Freezing point | No data | |
| Initial boiling point and boiling range | ~ 300 °C | *) |
| Flammability (solid, gas) | No data | |
| Flammability limits | No data | |
| Explosion limits | No data | |
| Flash Point | > 180 °C | *) |
| Auto-ignition temperature | > 220 °C | *) |
| Decomposition temperature | No data | |
| pH (solution for use) | ~ 7 | *) |
| pH (concentrate) | No data | |
| Kinematic viscosity | No data | |

Wood Wool

Replaces date: 11/05/2016 Revision date: 14/11/2022

Version: 1.1.0

| Viscosity | 3.2 - 6.5 mm2/s | *) |
|---------------------------------------|-------------------------------|----|
| Partition coefficient n-octonol/water | No data | |
| Vapour pressure | No data | |
| Density | 0.75 - 0.90 g/cm ³ | *) |
| Relative density | No data | |
| Vapour density | No data | |
| Relative density (sat. air) | No data | |
| Particle characteristics | No data | |

9.2. Other information

| Parameter | Value/unit | Remarks |
|----------------------|------------|-------------------|
| Explosive properties | | Non-explosive *) |
| Oxidising properties | | Non-oxidising. *) |

Other Information:

*) Data refers to Slack wax (petroleum), clay-treated (DMSO<3%, IP 346)

SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts with the following: Oxidisers.

10.2. Chemical stability

The product is stable when used in accordance with the supplier's directions.

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

Do not expose to heat (e.g. sunlight).

10.5. Incompatible materials

Oxidisers.

10.6. Hazardous decomposition products

Product decomposes in fire conditions or when heated to high temperatures, and inflammable and toxic gases may be released.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity - oral

Slack wax (petroleum), clay-treated (DMSO<3%, IP 346), cas-no 90669-78-6

| Organism | Test Type | Exposure time | Value | Conclusion | Test method | Source |
|----------|-----------|---------------|--------------|------------|-------------|--------|
| Rat | LD50 | | > 5000 mg/kg | | | |

Ingestion may cause discomfort. The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

Acute toxicity - dermal

Slack wax (petroleum), clay-treated (DMSO<3%, IP 346), cas-no 90669-78-6

Wood Wool

Replaces date: 11/05/2016 Revision date: 14/11/2022 Version: 1.1.0

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

Acute toxicity - inhalation: The product does not have to be classified. Test data are not available.

Skin corrosion/irritation: May cause slight irritation. The product does not have to be classified. Test data are not

available.

Serious eye damage/eye

irritation:

Temporary irritation. The product does not have to be classified. Test data are not available.

Respiratory sensitisation or

skin sensitisation:

The product does not have to be classified. Test data are not available.

Germ cell mutagenicity: The product does not have to be classified. Test data are not available.

Carcinogenic properties: The product does not have to be classified. Test data are not available.

Reproductive toxicity: The product does not have to be classified. Test data are not available.

Single STOT exposure: Inhalation of dust may cause irritation to the upper airways. The product does not have to

be classified. Test data are not available.

Repeated STOT exposure: The product does not have to be classified. Test data are not available.

Aspiration hazard: The product does not have to be classified. Test data are not available.

11.2. Information on other hazards

Endocrine disrupting

properties:

None known.

Other toxicological effects: None known.

SECTION 12: Ecological information

12.1. Toxicity

The product does not have to be classified. Test data are not available.

12.2. Persistence and degradability

Test data are not available.

12.3. Bioaccumulative potential

Test data are not available.

12.4. Mobility in soil

Test data are not available.

12.5. Results of PBT and vPvB assessment

The product does not contain any PBT or vPvB substances.

12.6. Endocrine disrupting properties

None known.

12.7. Other adverse effects

Wood Wool

Replaces date: 11/05/2016 Revision date: 14/11/2022

Version: 1.1.0

None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Avoid discharge to drain or surface water. If this product as supplied becomes a waste, it does not meet the criteria of a hazardous waste (Dir. 2008/98/EU). Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements. Empty, cleansed packaging should be disposed of for recycling. Uncleansed packaging is to be disposed of via the local waste-removal scheme.

Category of waste:

EWC code: Depends on line of business and use, for instance 16 05 09 discarded

chemicals other than those mentioned in 16 05 06, 16 05 07 or 16 05 08

Absorbent/cloth contaminated with the product: EWC code: 15 02 03 Absorbents, filter materials, wiping cloths and protective clothing other than those mentioned in 15 02 02.

SECTION 14: Transport information

14.1. UN number or ID number: Not applicable.

14.2. UN proper shipping

name:

14.3. Transport hazard

class(es):

Not applicable.

Not applicable.

14.4. Packing group: 14.5. Environmental

hazards:

Not applicable.

Not applicable.

14.6. Special precautions for user

None.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Special Provisions: None.

15.2. Chemical Safety Assessment

Other Information: Chemical safety assessment has not been performed.

SECTION 16: Other information

Version history and indication of changes

| Version | Revision date | Responsible | Changes | |
|---------|---------------|--------------------------|---------------------|--|
| 1.1.0 | 14/11/2022 | Bureau Veritas HSE / SJU | 3,6,7,9,11,12,13,16 | |

Abbreviations: PBT: Persistent, Bioaccumulative and Toxic

vPvB: Very Persistent and Very Bioaccumulative

STOT: Specific Target Organ Toxicity

References to literature and

data sources:

Datasheet from supplier (02.02.2015)

Other Information: This safety data sheet has been prepared for and applies to this product only. It is based on

our current knowledge and the information that the supplier was able to provide about the product at the time of preparation. The safety data sheet complies with applicable law on

Wood Wool

Replaces date: 11/05/2016 Revision date: 14/11/2022 Version: 1.1.0

preparation of safety data sheets in accordance with Regulation 1907/2006/EC "The Registration, Evaluation and Authorization of Chemicals" as amended by the stationary UK

REACH etc. (EU Exit) as subsequently changed.

A thorough knowledge of this safety data sheet should be a prerequisite condition. Training advice:

11/05/2016 Date:

Classification method: Calculation based on the hazards of the known components.

SDS is prepared by

Company: **SLET**

Address: Birkemosevej 7 City: Kolding Country: **DENMARK**

E-mail: infohse@dk.bureauveritas.com

Fax: +45 75 50 88 10

Homepage: http://www.hse.bureauveritas.dk

Country: GB